

Soft Cleansing Milk ECO

L018-72-1107

Claims: **Moisturizing**
Soft skin feel



Phase	Ingredient	INCI	Supplier	%
A	Deionised Water	Aqua		55.85
	Rose Flower Water	Rosa Centifolia Flower Water	Sanoflore	15.00
	dermofeel® PA-3	Sodium Phytate, Aqua	Dr. Straetmans	0.05
	dermosoft® GMCY	Glyceryl Caprylate	Dr. Straetmans	0.70
	dermosoft® 688 ECO	Parfum	Dr. Straetmans	0.20
	Glycerol	Glycerin		2.50
A1	Keltrol SFT	Xanthan Gum	CP Kelco	0.40
B	Amisol Soft	Behenyl Alcohol, Glyceryl Stearate, Lecithin, Glycine Soja (Soybean) Sterols	Lucas Meyer*	3.00
C	dermofeel® TC-7	Triheptanoin	Dr. Straetmans	8.00
	Safflower Oil	Carthamus Tinctorius (Safflower) Seed Oil	Henry Lamotte	8.00
	dermofeel® Toco 70 non-GMO	Tocopherol, Helianthus Annuus (Sunflower) Seed Oil	Dr. Straetmans	0.30
D	Hydraporine Nature	Betaine, Aqua, Glycerin, Hydrogenated Lecithin, Honey, Pectin	Lucas Meyer*	4.00
	dermofeel® G 10 LW	Polyglyceryl-10 Laurate, Aqua	Dr. Straetmans	2.00
				100.00

Manufacturing Procedure:

1. Heat phase A up to 75°C – 80°C under stirring until **dermosoft® 688 ECO** is completely dissolved. Disperse Keltrol
2. Add **Amisol Soft**, and keep batch under slow stirring during approx. 20 min (hydration step).
3. Heat phase C up to 75°C - 80°C and add to A/B. Mix slowly during 5 min (emulsification step).
4. Homogenize for approx. 2 min. using an Ultra Turrax.
5. Cool down under medium stirring. Add phase D below 40°C. Adjust pH if necessary.

Specification Values:

Appearance: Off-white lotion.

pH: 5.2 – 5.4.

Viscosity (Brookfield: LV 4; 10 rpm): Approx. 6.000 – 10.000 mPa.s.

Centrifugation (4.000 rpm, 20 min.): No separation.

* distributed
in Germany by
Dr. Straetmans GmbH

Stability: More than 3 months stable at 4°C, 40°C and 20°C.

Mircobiological Stability: Proven.

Disclaimer:

The information contained herein is meant to demonstrate how our products can be used. The given data are suggestions without any guarantee aimed to support customers' development. As production conditions at our customers' facilities are beyond our control we refuse to accept any liability involved in the use of our products. Please observe possible third party patent rights.