

## Energizing Soft Serum ECO

6.123.02

**Claims:**     **Soft skin feel**  
                   **Anti-aging effect**



Phase	Ingredient	INCI	Supplier	%
A	Deionised Water	Aqua		75.25
	Orange Blossom Water	Citrus Aurantium Amara Flower Distillate	Sanoflore	15.00
	<b>dermofeel® PA-3</b>	Sodium Phytate, Aqua	<b>Dr. Straetmans</b>	<b>0.05</b>
	<b>dermosoft® GMCY</b>	Glyceryl Caprylate	<b>Dr. Straetmans</b>	<b>0.70</b>
	Glycerol	Glycerin		3.00
A1	Satiaxane CX 91	Xanthan Gum	Evonik Goldschmidt	0.20
A2	<b>Amisol Soft</b>	Behenyl Alcohol, Glyceryl Stearate, Lecithin, Glycine Soja (Soybean) Sterols	<b>Lucas Meyer*</b>	<b>3.00</b>
B	<b>Liftessence Nature</b>	Water, Glycerin, Cyathea Cumingii Leaf Extract	<b>Lucas Meyer*</b>	<b>2.00</b>
C	<b>Riboxyl</b>	Ribose	<b>Lucas Meyer*</b>	<b>0.50</b>
D	Potassium Sorbate	Potassium Sorbate	Merck	0.30
				<b>100.00</b>

### Manufacturing Procedure:

1. Heat phase A up to 75 °C and disperse Satiaxane CX 91 under stirring.
2. Add **Amisol Soft** and maintain temperature at 75°C for approx. 20 min.
3. Homogenize for approx. 3 min. using an Ultra-Turrax.
4. Cool down under medium stirring.
5. Add phase B, C and D below 40 °C.
6. Adjust pH if necessary.

### Specification Values:

Appearance: Off-white lotion.

pH: 5.5 – 6.0.

Viscosity (Brookfield: LV 4; 10 rpm): Approx. 2.500 – 5.000 mPa·s.

Centrifugation (4.000 rpm, 20 min.): No separation.

\* distributed  
in Germany by  
Dr. Straetmans GmbH

### Disclaimer:

The information contained herein is meant to demonstrate how our products can be used. The given data are suggestions without any guarantee aimed to support customers' development. As production conditions at our customers' facilities are beyond our control we refuse to accept any liability involved in the use of our products. Please observe possible third party patent rights.