

ID-number	STICK/STICK 048
pH-value	-
appearance	yellow Stick

Phase	Substance	INCI Name EU	Pos.	% [w/w]
A	Candelilla Wax	Candelilla Cera	1	10-25
	Carnauba Wax	Cera Carnauba	1	5-10
	Arlamol CP	Cetyl Palmitate	2	5-10
	Apifil	PEG-8 Beeswax	3	5-10
	Softisan 100	Hydrogenated Coco-Glycerides	4	5-10
	Beeswax white	Cera Alba	1	5-10
	Oxynex LM	Tocopherol, Lecithin, Ascorbyl Palmitate, Glyceryl Stearate, Glyceryl Oleate, Citric Acid	5	0.01-0.1
	Shea Butter	Butyrospermum Parkii Butter	1	1-5
	Topcithin 200	Lecithin		0.1-1
	Tocopheryl Acetat	Tocopheryl Acetate	1	0.1-1
	Eusolex 6300	4-Methylbenzylidene Camphor	5	1-5
	Parsol 1789	Butyl Methoxydibenzoyl-methane	6	0.1-1
	Parsol MCX	Ethylhexyl Methoxycinnamate	6	1-5
	Eutanol G	Octyldodecanol	7	10-25
	Tegosoft OS	Ethylhexyl Stearate	8	10-25
	Meadowfoam Seed Oil	Limnanthes Alba Seed Oil	1	1-5
	B	DEFENSIL®	Octyldodecanol, Echium Plantagineum Seed Oil, Helianthus Annuus Seed Oil Unsaponifiables, Cardiospermum Halicacabum Flower/Leaf/Vine Extract,	9
DC 345 Fluid		Cyclopentasiloxane	10	1-5
Perfume Cherry		Parfum	1	0.1-1

Production

Mix A, heat to 75°C
 Add B to A, continuously stirring
 Treat the surface of the frame with silicon oil, heat it up to 75°C.
 Pour the homogenous mixture into the frame
 Let the frame cool down
 Pull the sticks out, put them in the applicators

Pos. Manufacturer

Several
 Croda Chemicals Europe Ltd, Belgium
 Gattefossé, France
 Sasol, Germany
 1 Merck, Germany
 2 DSM, Netherland
 3 Cognis, Germany
 4 Evonik, Germany
 5 RAHN AG, Switzerland
 6 Dow Corning, USA

Disclaimer:

The information contained herein is, to our best knowledge, true and accurate, but all recommendations or suggestions are made without guarantee. It shows a formula thought as a support by developing with our raw materials.